



HOME IMPROVEMENTS

ALUMINIUM SCREENING & PRIVACY SYSTEMS	46
Quickslat Screening System.....	46
Quickslat Sections	47
Easy Picket Fencing System	48
Easy Picket Sections	50
Easy Picket Hardware	52
Easy Shutter System	54
Easy Shutter Multi-functional Sections.....	55
Easy Shutter Sections	56
Easy Shutter Hardware.....	57
Screen-View Cross Sections	58
Screen-View Enclosure	59
SHADING & BUILDING SYSTEMS.....	60
Posts & Beams.....	60
PICKET SECTIONS.....	61
SCREENFOLD HARDWARE.....	62
VERTICAL BLIND SECTIONS	63

Quickslat QUICKSLAT SCREENING SYSTEM

A STYLISH AND DURABLE ALUMINIUM SCREENING SYSTEM

The Darley Aluminium Quickslat aluminium screening system is an easy-to-assemble system requiring no mechanical fasteners.

KEY FEATURES & BENEFITS

- Stylish Decor
- Smooth Modern Finish
- Strong and Durable
- Much Longer-wearing Than Timber Products
- Low-maintenance and Easy to Install
- Variety of Colours Available
- Well-suited to Coastal Areas


APPLICATIONS

- Fencing & Gates
- Awnings
- Sunscreens
- Area Dividers
- Window Hoods
- Equipment Enclosures
- Facade Enhancing Screens
- Feature Walls

38MM QUICKSLAT SCREENING SYSTEM

SECTION SINGLE PANEL


PIC043	Stile = Height
PIC041	Slats = Width - 20mm 38mm Slat Qty (Complete Slats) = Height / 54



70MM QUICKSLAT SCREENING SYSTEM

SECTION SINGLE PANEL

PIC042	Stile = Height
PIC040	Slats = Width - 20mm 70mm Slat Qty (Complete Slats) = Height / 86




SECTION PANEL WITH 1 MULLION


PIC042/PIC044	Stile/Mullion = Height
PIC040	Slats = (Width - 30mm) / 2 70mm Slat Qty 1 Mullion = (Height / 86) x 2 (Complete Slats)

SECTION PANEL WITH 2 MULLIONS

PIC042/PIC044	Stile/Mullion = Height
PIC040	Slats = (Width - 40mm) / 3 70mm Slat Qty 2 Mullions = (Height / 86) x 3 (Complete Slats)















QUICKSLAT FIXING OPTION



NOTE: Quickslat screens are not designed for barrier or fall prevention applications.

Quickslat QUICKSLAT SECTIONS

CODE	DESCRIPTION	LGTH.	FINISH	GROUP ID	LOC.	
PIC040	70 x 8 mm Quick Slat Blade 	6m	M/F Mannex Black Pearl White WRC	3101 3101 3101	NQ NQ NQ	
PIC041	38 x 8mm Quick Slat Blade 	6m	M/F Mannex Black Pearl White WRC	3101 3101 3101	NQ NQ NQ	
PIC042	70mm Quick Slat Frame (Punched) 	6m	M/F Mannex Black Pearl White WRC	3101 3101 3101	NQ NQ NQ	
PIC043	39mm Quick Slat Frame (Punched) 	6m	M/F Mannex Black Pearl White WRC	3101 3101 3101	NQ NQ NQ	
PIC044	70mm Quick Slat Centre Mullion (Punched) 	6m	M/F	3101	Q	
PIC045	Fixing Channel 	6m	M/F	3101	Q	

 Please check with your local branch for stock availability.

EASY PICKET FENCING SYSTEM


A STYLISH AND DURABLE ALUMINIUM FENCING SYSTEM

The Darley Aluminium Easy Picket system is an attractive concealed fixing solution for all your screening and fencing needs. Easy to install, this powder coated aluminium product is designed to last in harsh environments.

A versatile system comprising of a suite of aluminium extrusions and plastics that provide a complete screening solution, which can be used in both commercial and residential applications.

CONCEALED FIXING

Easy Picket is a concealed fixing system, designed to hide unsightly screws and rivets. This unique concealed system is not only easy-to-install, it also doesn't require any welding and gives your fencing & gate products a modern attractive look.



APPLICATIONS


- Fencing & gates
- Sunscreens
- Privacy screening
- Area dividers
- Equipment enclosures

KEY BENEFITS

- Picket fence option - also with concealed fixing
- Optional assembly methods for pickets
- Wide range of colours* available
- Plastic or metal corner stakes available
- Low maintenance
- Easy to fabricate and install
- Flexible fence and gate configurations
- Resistant to warping, cracking and splintering
- Lasts longer than timber products
- Universal caps available
- Dedicated End Caps
- Available in blade widths of 38mm, 65mm, 75mm and 100mm.

EASY-TO-INSTALL

Unlike other systems, Darley's Easy Picket system is easy to fabricate and install with sections that can be assembled and screwed together on site or in the factory. It can easily accommodate different blade widths and can provide adjustable slat spacings when required.



WIDE RANGE OF COLOUR AND FINISH OPTIONS

Darley's Easy Picket system can be powdercoated using a large range of Dulux & Interpon colours. The colours listed below are some of the colours available, speak to your Darley Sales Representative about colour availability and powdercoat lead times.*






Darley Aluminium in WA stock Easy Picket sections in these colours & Mill Finish.*



10 YEAR WARRANTY

A 10 year warranty applies, from the date of installation.



	CODE	DESCRIPTION	LGTH.	FINISH	GROUP ID	LOC.
	PIC001	Picket 75 x 16mm x 1.1mm	6.5m	M/F	3101	N Q W
	PIC002	Picket 75 x 16mm x 1.1mm	6.5m	M/F	3101	N Q W
	PIC003	Picket 65 x 16mm x 1.4mm  3218	6.5m	M/F	3101	N Q W
	PIC014	Picket 65 x 16mm x 1.2mm  3218	6.5m	M/F	3101	N Q V W
	3218	End Cap Suits PIC003, PIC014	6.5m	Black	6164	N Q V W
	PIC012	Picket 100 x 1.6mm x 1.4mm	6.5m	M/F	3101	N Q W
	PIC013	Picket 38 x 16mm x 1.4mm	6.5m	M/F	3101	N Q W
	CH2020T16	Channel 20 x 20 x 1.6mm	6.5m	M/F	18301	N Q V W

 Key hardware.


Please check with your local branch for stock availability.

CODE	DESCRIPTION	LGTH.	FINISH	GROUP ID	LOC.	
ESY012	Easy Picket Single Post + Gates	6.5m	M/F	3102	N Q V W	 NEW
ESY011	Easy Picket Corner Post	6.5m	M/F	3102	N Q V W	 NEW
ESY004	Jamb / Horizontal Receiver	6.5m	M/F	3102	N Q V W	 NEW
ESY010	Picket Post Double Sided	6.5m	M/F	3102	N Q V W	 NEW
ESY005	Brace Cover	6.5m	M/F	3102	N Q V W	 NEW
FGS406	Pocket Filler & Brace Suits ESY004/005/010/011/012	6.5m	M/F	8901	N Q V W	 NEW
CS100	Post Receiver	6.5m	M/F	21302	N V	 NEW
TJ325	Post Receiver	N/A	N/A	9601	N Q V W	 NEW





Please check with your local branch for stock availability.

		CODE	DESCRIPTION	U.O.M.	BOX QTY.	GROUP ID	LOC.
		3109	Corner Stake for Lorraine - Suits ESY004	N/A	N/A	16149	N Q V W
		1860	Horizontal Brace Bracket	N/A	N/A	16153	Q W
		3110	Corner Stake for Gates & Shutters - Suits ESY012	N/A	N/A	3103	N Q V W
		3113	Easy Picket Top Cap	N/A	N/A	3102	N Q V W
		3114	Easy Picket Spacer Block	N/A	N/A	3102	N Q V W
		5002	Corner Stake for Sarthe - Suits ESY004	N/A	N/A	14510	N Q V W
		3231	Neutral Tension Gate Hinge with 2 Legs - 28kg holding weight	Each	N/A	3103	N Q W
		3232	Fixed Tension Gate Hinge with 1 Leg - 28kg holding weight - 15kg closing weight	Each	N/A	3103	N Q W
		3233	Adjusted Tension Hinge with 2 Legs - 70kg holding weight - 45kg closing weight	Each	N/A	3103	N Q W
		3234	Adjusted Tension Hinge with no Legs - 70kg holding weight - 45kg closing weight	Each	N/A	3103	N Q W
		3241	Trilatch 25cm Short Gate Latch	Each	N/A	3103	N Q W



Please check with your local branch for stock availability.

CODE	DESCRIPTION	U.O.M.	BOX QTY.	GROUP ID	LOC.	
3244	Trilatch 127cm Long Gate Latch	Each	N/A	3103	N Q W	 
3242	Viper Gravity Latch – Single Sided	Each	N/A	3103	N Q W	 
3243	Viper Gravity Latch – Double Sided	Each	N/A	3103	N Q W	 
3251	Gate Handle	Each	N/A	3103	N Q W	 
3218	End Cap Picket	Each	N/A	3103	Q V W	 
3211	Metal Top Black	Each	N/A	3103	N Q V W	 
3217	Windsor Spear Cap	Each	N/A	3103	N Q V W	 
3213	90x 90 Square Top Cap	Each	N/A	3103	N Q V W	 
3212	Metal Brace Bracket	Each	N/A	3103	N Q V W	 
3215	50 x 50 Post Base Bracket	Each	N/A	3103	N W	 



Please check with your local branch for stock availability.



EASY SHUTTER

EASY SHUTTER SYSTEM

The Darley Aluminium Easy Shutter system is an attractive concealed fixing solution for all your louvre shutter needs. Easy to install, this powder coated aluminium product is designed to last in harsh environments.

A versatile system comprising of a suite of aluminium extrusions and plastics that provide a complete shutter solution, which can be used in both commercial and residential applications.



CONCEALED FIXING

Easy Shutter is a concealed fixing system, designed to hide unsightly screws and rivets. This unique concealed system is not only easy-to-install, it also doesn't require any welding and gives your shutter products a modern attractive look.

KEY BENEFITS


- Shutter options with concealed fixing
- Three different styles
- Available in fixed, hinged, sliding, multifolding
- Self-stacking louvre clips
- Easy to fabricate and install
- Can be installed in factory or on site
- Low maintenance
- Resistant to warping, cracking and splintering
- Black or white clips available
- Universal caps available
- Dedicated End Caps
- Wide range of colours* available




APPLICATIONS

- Plantation shutters
- Servery windows
- Fencing & gates
- Sunscreens
- Privacy screening
- Area dividers
- Equipment enclosures


ORLEANS

























LORRAINE









SARTHE




CODE	DESCRIPTION	LGTH.	FINISH	GROUP ID	LOC.	
ESY004	Picket Jamb / Horizontal Receiver Also suits Lorraine & Sarthe Frame   3109, 3115, 5002	6.5m	M/F Cat. 1	3102	N Q V W	
ESY010	Picket Post Double-sided Also suits Orleanes Frame   3115	6.5m	M/F Cat. 1	3102	N Q V W	
ESY012	Picket Post Single Side & Gates Also suits Orleanes Frame   3110, 3115	6.5m	M/F Cat. 1	3102	N Q V W	
ESY005	Brace Cover (Fencing Only) 	6.5m	M/F Cat. 1	3102	N Q V W	
FGS406	Pocket Filler & Brace Suits ESY004/005/010/011/012 	6.5m	M/F Cat. 1	8901	N Q V W	
AU02-105	Bi-Fold Head Track   3307, 3308	6.5m	M/F	22101	N Q	
AU02-106	Multi-folding & Sliding Top Track   3307, 3308	6.5m	M/F CL/ANOD	22101 22102	N Q V W	
HV010	Multi-folding & Sliding Bottom Track  3110	6.5m	M/F Cat. 1	10501 10502	N Q V W	
1680-H	Bottom Guide Insert Suits HV010	6.5m	BLACK	16101	N Q V W	



EASY SHUTTER SECTIONS




	CODE	DESCRIPTION	LGTH.	FINISH	GROUP ID	LOC.
	ESY007	Louvre Blade  3115	6.0m	M/F Cat.1	3102	N Q V W
	ESY020	Control Bar  1714	4.8m	M/F Cat.1	3102	N Q V W
	ESY025	Clip In Stop 25mm Suits ESY004/010/011/012	6.5m	M/F Cat.1 WRC	3102	N Q V W
	ESY038	Clip In Stop 38mm Suits ESY004/010/011/012	6.5m	M/F Cat.1 WRC	3102	N Q V W



  Key hardware.



Please check with your local branch for stock availability.

CODE	DESCRIPTION	U.O.M.	BOX QTY.	GROUP ID	LOC.	
3115	Shutter Insert (Black/White) Suits ESY004/010/012	10 Pairs	1	3103	N, Q V, W	
3314	Multifold Bolt 140mm	Each	1	3101	N, Q V, W	
3315	Multifold Bolt 450mm	Each	1	3101	N, Q V, W	
3304	Bi-fold Barrel Bolt	Each	1	22103	N, Q	
3307	Hanger Suits AU02-105/106	Each	1	22103	N, Q, W	
3308	Pivot Suits AU02-105/106	Each	1	22103	N, Q	
3309	Hinge	Each	1	22103	N, Q	
3310	Guide Suits HV010	Each	1	22103	N, Q, W	
15401	Flush Pull (Overall dimension 105 x 41 with 11 Mortice)	Each	1	22103	N, Q, V, W	
1680-H	Bottom Guide Insert Suits HV010	Each	1	16101	N, Q, V, W	
3110	Corner Stake for Gates & Shutters Suits ESY012	Each	1	3103	N, Q V, W	
3109	Corner Stake for Lorraine Suits ESY004	Each	1	16149	N, Q V, W	
5002	Corner Stake for Sarthe Suits ESY004	Each	1	14510	N, Q V, W	






Key hardware.





Please check with your local branch for stock availability.












SCREEN-VIEW CROSS SECTIONS



CODE	DESCRIPTION	LGTH.	FINISH	GROUP ID	LOC.	
SE001	SV Patio Rail  SE9-001	6.5m	Mill Finish Custom Black Primrose Pearl White White Birch	3101	N Q	
SE002	SV Patio Post / Corner  SE9-4025, SE9-001	6.5m	Mill Finish Custom Black Primrose Pearl White White Birch	3101	N Q	
SE003	SV Patio Channel	6.5m	Mill Finish Custom Black Primrose Pearl White White Birch	3101	N Q	
SE004	Screen Adaptor Face Fix	4.5m	Mill Finish Custom Black	3101	N Q	
SE9-4025	Patio Enclosure Bracket Suits SE002	Each	Mill Finish	3101	N Q	
SE9-001	SV Ridged Spline (30 lengths of 3m p/pack)	3m	Black	3101	N Q V	
2502	Foam Spline 6.0mm	300m	Black	6143	N Q V	 
2505	Foam Spline 5.7mm	300m	Black	6143	N Q V	 



















SHADING & BUILDING SYSTEMS: POSTS & BEAMS

	CODE	DESCRIPTION	LGTH.	FINISH	GROUP ID	LOC.
	HIS100	Channel 55.8	6.5m	M/F	3101	N Q
	HIS101	Patio Post	6.0m	M/F	3101	Q
	HIS102	Gate Track	6.0m	M/F	3101	Q
	SQF9090T20	Post Fluted 90 x 90 x 2mm	6.0m	M/F Cat.1	3101	Q
	SQ10050T16	Purlin 100 x 50 x 1.6mm	6.5m	M/F Cat.1	18501	N, Q V, W
	SQ10050T30	Purlin 100 x 50 x 3.0mm	6.5m	M/F	18501	N, Q V, W
	SQ15050T30	Purlin 150 x 50 x 3.0mm	6.5m	M/F	18501	N, Q V, W
	SQ20050T30	Purlin 200 x 50 x 3.0mm	6.5m	M/F	18501	Q W
	SR5050T20	Post (Radius Edged) 50 x 50 x 2.0mm	6.5m	M/F	18401	N Q W
	SQ5050T16	Post (Square Edged) 50 x 50 x 1.6mm	6.5m	M/F Cat.1	18401	Q
	PC5050	Concealed Connector Suits SQ5050T16, SR5050T20	Bag Qty 20	N/A	3101	N Q W



Please check with your local branch for stock availability.

PICKET SECTIONS







CODE	DESCRIPTION	LGTH.	FINISH	GROUP ID	LOC.	
PIC009	Picket Post Single Sided   3219, 3222	6.5m	M/F	3101	N Q V W	
PIC010	Picket Post Double Sided   3222	6.5m	M/F	3101	N Q V W	
PIC011	Picket Post 90 Degree   3222	6.5m	M/F	3101	N Q V W	
3219	Corner Stack Suits PIC009, SQ5050T16 	each	M/F	6164	N Q V W	
3222	Square Top Cap Suits PIC009, PIC010, PIC011 	6.5m	M/F	6164	N Q W	
PIC006	50 x 10mm Slat Cap 	6.5m	M/F	3101	V	
PIC007	50 x 10mm Slat Base 	6.5m	M/F	3101	V	
PC5050	Pre-drilled Concealed Post Connector Suits PIC009, PIC010, PIC011	Qty 20 p/bag	N/A	3101	N Q W	

 Key hardware.

 Please check with your local branch for stock availability.

SCREENFOLD HARDWARE
























Brio

	CODE	DESCRIPTION	U.O.M.	BOX QTY.	GROUP ID	LOC.
	3301	Pivot Assembly Set Suits rebated door frames, e.g. DF001, DF003, DF006, DF20, AUO1001	Each	1	22103	N Q
	3302	Bottom Guide Suits rebated door frames, e.g. DF001, DF003, DF006, DF20, AUO1001	Each	1	22103	N Q
	3303	Hanger Suits rebated door frames, e.g. DF001, DF003, DF006, DF20, AUO1001	Each	1	22103	N Q
	3305	Hinge Suits rebated door frames, e.g. DF001, DF003, DF006, DF20, AUO1001	Each	1	22103	N Q
	3306	Handle Hinge Suits rebated door frames, e.g. DF001, DF003, DF006, DF20, AUO1001	Each	1	22103	N Q
	3313	Intermediate Hanger Suits rebated door frames, e.g. DF001, DF003, DF006, DF20, AUO1001	Each	1	22103	N Q



Please check with your local branch for stock availability.

VERTICAL BLIND SECTIONS

CODE	DESCRIPTION		LGTH.	FINISH	GROUP ID	LOC.	
VT001	Vertical Blind Track 		6.0m	M/F	3001	N	
VT201	Vertical Blind Track 		6.4m	M/F Cat.1	3001	Q	
VT003	3 Way Tilt Rod 		6.0m	M/F	3001	N	
VT004	4 Way Tilt Rod 		6.0m	M/F	3001	N Q	
VT007	Pelmet  2694, 2695 		6.5m	M/F	3001	N Q	
VT009	Vertical Blind Track		6.05m	WH	3001	Q	
VT010	Plain Blind Track		6.05m	WH	3001	Q	
VT021	38mm Holland Tube 		5.5m	M/F	3001	N	
VT022	50mm Holland Tube 		6.5m	M/F	3001	N	
VT023	Bottom Bar 		6.0m	M/F Cat.1	3001	N Q	
VT024	Bottom Bar		5.5m	CL	3001	Q	
VT039	38mm Keyway Tube 		5.5m	M/F	3001	N Q	
2694	Pelmet Bracket Suits VT007 Bag of 50		Bag	N/A	3001	N Q	

 Key hardware.

 Please check with your local branch for stock availability.