


# GEOMETRIC SECTIONS

<b>ANGLES</b> .....	67
Angles (Thickness = 1.6 mm).....	67
Angles (Thickness = 3.0 mm+) .....	68
<b>FLAT BARS</b> .....	69
<b>CHANNELS</b> .....	70
<b>SQUARE TUBES</b> .....	71
<b>RECTANGLE TUBES</b> .....	72
<b>ROUND TUBES</b> .....	73
<b>SOLID ROUND RODS</b> .....	74
<b>TEE SECTIONS</b> .....	74

# ANGLES

**THICKNESS = 1.6 MM**

CODE	SIZE (A*B*T)	LGTH	AP	FINISH	MASS	GROUP ID
AN1212	12 x 12 x 1.6mm	6.5m	100	M/F CL/ANOD Cat.1	0.097	18101
AN1225	12 x 25 x 1.6mm	6.5m	100	M/F CL/ANOD Cat.1	0.154	18101
AN1240	12 x 40 x 1.6mm	6.5m	104	M/F CL/ANOD Cat.1	0.219	18101
AN2012	20 x 12 x 1.6mm	6.5m	100	M/F CL/ANOD Cat.1	0.132	18101
AN2020	20 x 20 x 1.6mm	6.5m	100	M/F CL/ANOD Cat.1	0.165	18101
AN2025	20 x 25 x 1.6mm	6.5m	100	M/F CL/ANOD Cat.1	0.187	18101
AN2032	20 x 32 x 1.6mm	6.5m	104	M/F CL/ANOD Cat.1	0.219	18101
AN2040	20 x 40 x 1.6mm	6.5m	120	M/F CL/ANOD Cat.1	0.252	18101
AN2050	20 x 50 x 1.6mm	6.5m	140	M/F CL/ANOD	0.294	18101
AN2525	25 x 25 x 1.6mm	6.5m	100	M/F CL/ANOD Cat.1	0.209	18101
AN2532	25 x 32 x 1.6mm	6.5m	114	M/F CL/ANOD Cat.1	0.234	18101
AN2540	25 x 40 x 1.6mm	6.5m	130	M/F CL/ANOD Cat.1	0.275	18101
AN2550	25 x 50 x 1.6mm	6.5m	150	M/F CL/ANOD Cat.1	0.317	18101
AN2570	25 x 70 x 1.6mm	6.5m	190	M/F CL/ANOD Cat.1	0.405	18101
AN4040	40 x 40 x 1.6mm	6.5m	160	M/F CL/ANOD Cat.1	0.338	18101
AN4070	40 x 70 x 1.6mm	6.5m	220	M/F	0.440	18101
AN5050	50 x 50 x 1.6mm	6.5m	200	M/F CL/ANOD Cat.1	0.425	18101




*Cat.1: Category 1 colours including powdercoated & anodised finishes stocked at your local branch as indicated on page 20.*



Please check with your local branch for stock availability.

# ANGLES

THICKNESS = 3.0 MM +



CODE	SIZE (A*B*T)	LGTH	AP	FINISH	MASS	GROUP ID
HAN2020	20 x 20 x 3.0mm	6.5m	100	M/F	0.300	18102
HAN2025	20 x 25 x 3.0mm	6.5m	100	M/F	0.341	18102
HAN2032*	20 x 32 x 3.0mm	6.5m	104	M/F	0.397	18102
HAN2040	20 x 40 x 3.0mm	6.5m	120	M/F	0.462	18102
HAN2080	20 x 80 x 3.0mm	6.5m	200	M/F	0.786	18102
HAN2525	25x 25 x 3.0mm	6.5m	100	M/F CL/ANOD	0.382	18102
HAN2540	25 x 40 x 3.0mm	6.5m	130	M/F	0.504	18102
HAN2550	25 x 50 x 3.0mm	6.5m	150	M/F	0.585	18102
HAN2570	25 x 70 x 3.0mm	6.5m	190	M/F	0.760	18102
HAN3232	32 x 32 x 3.0mm	6.5m	128	M/F	128.0	18102
HAN4006	40 x 40 x 6.0mm	6.5m	160	M/F	1.199	18102
HAN4040	40 x 40 x 3.0mm	6.5m	160	M/F	160.0	18102
HAN5050	50 x 50 x 3.0mm	6.5m	305	M/F CL/ANOD	1.210	18102
HAN5006	50 x 50 x 6.0mm	6.5m	200	M/F	1.527	18102
HAN50100*	50.8 x 101.6 x 3.0mm	6.5m	305	M/F	1.210	18102
HAN50125*	50 x 125 x 3.0mm	6.5m	350	M/F	1.393	18102
HAN50150	50 x 150 x 3.0mm	6.5m	399	M/F	1.595	18102
HAN762	76.2 x 76.2 x 3.2mm	6.5m	305	M/F	1.279	18102
HAN8006*	80 x 80 x 6.0mm	6.5m	320	M/F	2.502	18102


\* Available ex-Mill



Please check with your local branch for stock availability.


# FLAT BARS

CODE	SIZE (A*T)	LGTH	AP	FINISH	MASS	GROUP ID
FB1225	12 x 2.5mm	4.0m	100	M/F, CL/ANOD	0.081	18201
FB1230	12 x 3.0mm	4.0m	100	M/F	0.097	18201
FB1260	12 x 6.0mm	4.0m	100	M/F	0.194	18201
FB1625	16 x 2.5mm	4.0m	100	M/F	0.108	18201
FB2030	20 x 3.0mm	4.0m	100	M/F, CL/ANOD	0.162	18201
FB2060	20 x 6.0mm	4.0m	100	M/F	0.324	18201
FB20100	20 x 10.0mm	4.0m	100	M/F	0.540	18201
FB2516	25 x 1.6mm	4.0m	100	M/F, CL/ANOD	0.109	18201
		2.8m	100	M/F, CL/ANOD	0.108	
FB2530	25 x 3.0mm	4.0m	100	M/F, CL/ANOD	0.203	18201
FB2560	25 x 6.0mm	4.0m	100	M/F, CL/ANOD	0.406	18201
FB3230	32 x 3.0mm	4.0m	100	M/F, CL/ANOD	0.260	18201
FB4016	40 x 1.6mm	4.0m	100	M/F, CL/ANOD	0.174	18201
FB4030	40 x 3.0mm	4.0m	100	M/F, CL/ANOD	0.325	18201
FB4060	40 x 6.0mm	4.0m	100	M/F, CL/ANOD	0.650	18201
FB40100	40 x 10.0mm	4.0m	100	M/F	1.080	18201
FB5030	50 x 3.0mm	4.0m	106	M/F, CL/ANOD	0.406	18201
FB5060	50 x 6.0mm	4.0m	112	M/F, CL/ANOD	0.812	18201
FB5080	50 x 8.0mm	4.0m	100	M/F, CL/ANOD	1.080	18201
FB50100	50 x 10.0mm	4.0m	120	M/F	0.350	18201
FB6030	60 x 3.0mm	4.0m	126	M/F, CL/ANOD	0.491	18201
FB8016	80 x 1.6mm	4.0m	163	M/F	0.346	18201
FB8030	80 x 3.0mm	4.0m	166	M/F, CL/ANOD	0.648	18201
FB80100	80 x 10.0mm	4.0m	180	M/F, CL/ANOD	2.160	18201
FB10016	100 x 1.6mm	3.6m	203	M/F, CL/ANOD	0.433	18201
FB10030	100 x 3.0mm	4.0m	206	M/F, CL/ANOD	0.812	18201
FB10060	100 x 6.0mm	4.0m	212	M/F	1.626	18201
FB100100	100 x 10.0mm	4.0m	220	M/F, CL/ANOD	2.700	18201
FB15016	150 x 1.6mm	2.8m	303	CL/ANOD	0.648	18201
FB15018	150 x 1.8mm	3.6m	304	M/F, CL/ANOD	0.729	18201



Please check with your local branch for stock availability.

# CHANNELS





CODE	SIZE (A*B*T)	LGTH	AP	FINISH	MASS	GROUP ID
CH3218	25 x 25 x 3.0mm	6.5m	143	M/F CL/ANOD	0.543	18301 18301
CH3220	25 x 40 x 3.0mm	6.5m	204	M/F CL/ANOD	0.802	18301 18301
DT3223	24 x 24 x 1.2mm	6.5m	142	M/F CL/ANOD Cat.1	0.227	18301 18301
DT3192	25 x 19 x 1.2mm	6.5m	124	M/F CL/ANOD Cat.1	0.197	18301 18301
DT3355	16 x 16 x 1.6mm	6.5m	100	M/F CL/ANOD Cat.1	0.186	18301 18301
GAZ003	22.4 x 25.4 x 1.3mm	6.5m	145	M/F CL/ANOD	0.213	18301 18301
GAZ004	25.4 x 25.4 x 1.3mm	6.5m	150	M/F CL/ANOD	0.221	18301 18301
CH3232	32 x 32 x 3.0mm	6.5m	211	M/F CL/ANOD	0.802	18301 18301
CH3245	32 x 45 x 3.0mm	6.5m	263	M/F CL/ANOD	1.026	18301 18301
CH1010T16	10 x 10 x 1.6mm	6.5m	100	M/F CL/ANOD	0.117	18301 18301
CH1212T10	12 x 12 x 1.0mm	6.5m	100	M/F CL/ANOD	0.092	18301 18301
CH1212T16	12 x 12 x 1.6mm	6.5m	100	M/F	0.140	18301
CH1616T16	16 x 16 x 1.6mm	6.5m	100	M/F	0.195	18301
CH2016T16	20 x 16 x 1.6mm	6.5m	101	M/F CL/ANOD	0.211	18301 18301
CH2020T16	20 x 20 x 1.6mm	6.5m	117	M/F	0.246	18301
CH2020T30	20 x 20 x 3.0mm	6.5m	114	M/F	0.437	18301
CH2525T16	25 x 25 x 1.6mm	6.5m	147	M/F	0.311	18301
CH3225T30	32 x 25 x 3.0mm	6.5m	158	M/F CL/ANOD	0.616	18301 18301
CH4025T30	40 x 25 x 3.0mm	6.5m	174	M/F CL/ANOD	0.680	18301 18301
CH4040T30	40 x 40 x 3.0mm	6.0m	233	M/F	0.923	18301
CH5025T30	50 x 25 x 3.0mm	6.5m	194	M/F CL/ANOD	0.761	18301 18301
CH8025T30	80 x 25 x 3.0mm	6.5m	253	M/F	1.004	18301
CH10050T30	100 x 50 x 3.0mm	6.5m	394	M/F CL/ANOD	1.577	18301 18301



Please check with your local branch for stock availability.






# SQUARE TUBES

CODE	SIZE (A*B*T)	LGTH	AP	FINISH	MASS	GROUP ID
SQ1616T12	16 x 16 x 1.2mm	6.5m	100	M/F	0.249	18401
SQ1616T16	16 x 16 x 1.6mm	6.5m	100	M/F	0.249	18401
SQ1919T16	19 x 19 x 1.6mm	6.5m	100	M/F	0.301	18401
SQ2020T15	20 x 20 x 1.5mm	6.5m	100	M/F	0.318	18401
SQ2525T12	25 x 25 x 1.2mm	6.5m	100	M/F	0.308	18401
SQ2525T16	25 x 25 x 1.6mm	6.5m	100	M/F	0.404	18401
SQ2525T30	25 x 25 x 3.0mm	6.5m	100	M/F	0.710	18401
SQ3232T20	32 x 32 x 2.0mm	6.5m	128	M/F	0.648	18401
SQ3232T30	25 x 100 x 2.5mm	6.5m	128	M/F	0.940	18401
SQ4040T16	40 x 40 x 1.6mm	6.5m	160	M/F	0.664	18401
SQ4040T25	40 x 40 x 2.5mm	6.5m	160	M/F	1.013	18401
SQ4040T30	40 x 40 x 3.0mm	6.5m	160	M/F	1.199	18401
SQ4545T16	45 x 45 x 1.6mm	6.5m	180	M/F CL/ANOD	0.751	18401
SQ5050T15	50 x 50 x 1.6mm	6.5m	200	M/F Cat.1	0.786	18401
SQ5050T16	50 x 50 x 1.6mm	6.5m	200	M/F	0.837	18401
SQ5050T25	50 x 50 x 2.5mm	6.5m	200	M/F CL/ANOD	1.283	18401
SQ5050T30	50 x 50 x 3.0mm	6.5m	200	M/F CL/ANOD	1.523	18401
SR1919T12	19 x 19 x 1.2mm	6.5m	100	M/F	0.231	18401
SR2525T30	25 x 25 x 3.0mm	6.5m	100	M/F	0.713	18401
SR381254	38.1 x 25.4 x 2.54mm	6.5m	124	M/F	0.802	18401
SR4040T16	40 x 40 x 1.6mm	6.5m	157	M/F	0.650	18401
SR4040T16MF65	40 x 40 x 1.6mm	6.5m	155	M/F	1.188	18501
SR5050T20	50 x 50 x 2.0mm	6.5m	189	M/F	0.986	18401
SR5050T30	50 x 50 x 3.0mm	6.5m	190	M/F	1.466	18401
SR6565T30MF65	65 x 65 x 3.0mm	6.5m	251	M/F	2.009	18501
SR100100T30	100 x 100 x 3.0mm	6.5m	386	M/F	3.088	18401



Please check with your local branch for stock availability.

# RECTANGLE TUBES


	CODE	SIZE (A*B*T)	LGTH	AP	FINISH	MASS	GROUP ID
	SQ2540T25	40 x 25 x 2.5mm	6.5m	130	M/F	0.810	18501
	SQ2550T30	50 x 25 x 3.0mm	6.5m	150	M/F	1.118	18501
	SQ25100T25	25 x 100 x 2.5mm	6.5m	250	M/F	1.620	18501
	SQ4080T30	40 x 80 x 3.0mm	6.5m	240	M/F	1.847	18501
	SQ5080T30	50 x 80 x 3.0mm	6.5m	260	M/F	2.009	18501
	SQ10025T25MF65	100 x 25 x 2.5mm	6.5m	250	M/F	1.949	18501
	SQ10050T16	100 x 50 x 1.6mm	6.5m	300	M/F	1.269	18501
	SQ10050T30	100 x 50 x 3.0mm	6.5m	300	M/F	2.333	18501
	SQ15050T30	150 x 50 x 3.0mm	6.5m	400	M/F	3.143	18501
	SQ20050T30	200 x 50 x 3.0mm	6.5m	500	M/F	3.953	18501
	SQ250100T40	250 x 100 x 4.0mm	6.5m	700	CL/ANOD	7.469	18501
	SQ762254T24	76.2 x 25.4 x 2.4mm	6.5m	203	M/F	1.255	18501
	SR2538T15	25 x 38 x 1.5mm	6.5m	121	M/F	0.470	18501
	SR2538T16	25 x 38 x 1.6mm	6.5m	121	M/F	0.517	18501
	SR4040T30	40 x 40 x 3.0mm	6.5m	155	M/F	1.188	18501
	PIC003	Picket 65 x 16 x 1.4mm	6.5m	157	M/F	0.577	18501
	PIC012	Picket 100 x 16 x 1.4mm	6.5m	227	M/F	0.840	3101
	PIC013	Picket 38 x 16 x 1.4mm	6.5m	103	M/F	0.373	3101
	PIC014	Picket 65 x 16 x 1.2mm  3218	6.5m	157	M/F	0.502	3101

 Key hardware.

 Please check with your local branch for stock availability.

# ROUND TUBES


CODE	SIZE (A*B*T)	LGTH	AP	FINISH	MASS	GROUP ID
RD10R12	10 x 1.2mm	6.5m	100	M/F	0.090	18601
RD12R16	12 x 1.6mm	VARIES	100	M/F	0.141	18601
RD16R12	16 x 1.2mm	6.5m	100	M/F	0.151	18601
RD16R16	16 x 1.6mm	6.5m	100	M/F	0.195	18601
RD19R12	19 x 1.2mm	6.5m	100	M/F	0.182	18601
RD19R16	19 x 1.6mm	6.5m	100	M/F	0.238	18601
RD25R16	25 x 1.6mm	6.5m	100	M/F	0.318	18601
RD25R30	25 x 3.0mm	6.5m	100	M/F	0.565	18601
RD32R16	32 x 1.6mm	6.5m	101	M/F	0.413	18601
RD32R30	32 x 3.0mm	6.5m	101	M/F	0.737	18601
RD38R30	38 x 3.0mm	6.5m	119	M/F	0.891	18601
RD40R30	40 x 3.0mm	6.5m	126	M/F	0.953	18601
RD50R16	50 x 1.6mm	6.5m	157	M/F	0.697	18601
RD50R30	50 x 3.0mm	6.5m	157	M/F	1.196	18601
RD60R20	60 x 2.0mm	6.5m	189	M/F	0.988	18601
RD60R30	60 x 3.0mm	6.5m	188	M/F	1.450	18601



Please check with your local branch for stock availability.




# SOLID ROUND RODS



CODE	SIZE (A*B*T)	LGTH	AP	FINISH	MASS	GROUP ID
SRD10MF40	10mm Solid Round Rod	4m	100	M/F	0.212	18801
SRD16MF40	16mm Solid Round Rod	4m	100	M/F	0.543	18801
SRD25MF40	25.4mm Solid Round Rod	4m	100	M/F	1.369	18801
SRD39MF40	39mm Solid Round Rod	4m	124	M/F	3.325	18801
SRD50MF40	50mm Solid Round Rod	4m	157	M/F	5.301	18801

# TEE SECTIONS



CODE	SIZE (A*B*T)	LGTH	AP	FINISH	MASS	GROUP ID
TS191916	19 x 19 x 1.6mm	6.5m	100	M/F	0.157	18701
TS252516	25 x 25 x 1.6mm	6.5m	100	M/F	0.209	18701
TS252530	25 x 25 x 3.0mm	6.5m	100	M/F	0.382	18701
TS363612	36 x 36 x 1.2mm	6.5m	144	M/F	0.230	18701
TS404016	40 x 40 x 1.6mm	6.5m	160	M/F	0.339	18701
TS404030	40 x 40 x 3.0mm	6.5m	160	M/F	0.626	18701



Yale brings to you innovation in design and capability - the Yale Unity Security Screen Door Lock - the winner of International Good Design Awards 2022 .

We've considered how to make life easier for you to enter your home without any hassles of searching for your keys. Control your security screen door with the Yale Access App, contactless key tag or Yale Smart Keypad\*.

The Unity Security Screen Door Lock has patented digital dead locking technology, locking both the internal and external handles of your lock when using your smart device or contactless key tag. Meeting Australian lock standards AS4145.2:2008, SL6 and D7, you can be sure that the Unity Security Screen Door Lock is reliable and secure.

The Unity Security Screen Door Lock provides seamless entry into your home.

- With Yale Access you can:
- Lock and unlock your door via your smart device
- Grant access to others for one time access, access for a set period of time or a date range
- Keep track of visitor access